

Journal of The Chemical Society

Dalton Transactions

Indexes

1975

CS Publications News

New series of audio cassettes

The Educational Techniques Subject Group of The Chemical Society has published the first three titles in a new series of audio tapes called *Chemistry Cassettes* on which recognised authorities discuss aspects of their subject. The cassettes have been produced under the General Editorship of Peter Groves of the University of Aston and are designed for individual and group study purposes.

MONOGRAPHS FOR TEACHERS No. 28



Some Aspects of Basic Polymer Science

by Dr D. A. Blackadder

The monograph emphasises the polymer molecule — the notion of a long chain has been used to bind together the three main sections. The first concerns procedures for assembling polymer molecules from monomer units. This is followed by a discussion of the configurational and conformational properties of polymer molecules, together with the definition and measurement of molecular weights. Finally aggregates of polymer molecules are classified, and the properties of different kinds of aggregates are interpreted in terms of the underlying structure.

Paperbound 62pp 8½" X 5½" 12 figures £1.20 (CS Members 90p)

Orders to: The Publications Sales Officer, The Chemical Society, Blackhorse Road, Letchworth, Herts. SG6 1HN.

Each cassette is accompanied by a detailed booklet containing diagrams, equations, etc., which can be used by the student as the basis of a comprehensive set of notes.

The first three titles are:

Heavy Metals as Contaminants of the Human Environment by Professor Derek Bryce-Smith, *University of Reading.*
A discussion of some of the effects on man arising from the increasing use and distribution of heavy metals, particularly lead, cadmium and mercury.
Running time 100 minutes £4.75 (CS Members £3.60)

Some Aspects of the Electrochemistry of Solutions by Professor Graham Hills, *University of Southampton.*
Professor Hills considers some general aspects of electrolyte solutions and shows how theoretical models are able to lead to a wider understanding of the nature and properties of such solutions.
Running time 34 minutes £3.80 (CS Members £2.85)

Some Organic Reaction Pathways by Dr Peter Sykes, *Fellow and Director of Studies, Christ's College, Cambridge.*
Dr Sykes is well known through his book 'A Guidebook to Mechanism in Organic Chemistry'. On this cassette he discusses two important aspects of reaction mechanisms; those relating to elimination and to aromatic substitution.
Running time 68 minutes £4.25 (CS Members £3.20)

Additional copies of the booklets may be obtained at 50p each or 10 copies for £4.00.

Orders should be sent to The Publications Sales Officer, The Chemical Society, Blackhorse Road, Letchworth, Herts. SG6 1HN.

SPECIALIST PERIODICAL REPORTS

Radiochemistry Vol. 2

Senior Reporter: Dr G. W. A. Newton
University of Manchester
The second volume in this biennial series reviews literature published between August 1971 and July 1973 in the areas covered in Volume 1, namely, Solid State Recoil Chemistry, Radiochemistry of Elements with $Z > 103$ and Radiochemical Methods of Analysis. In addition, this Volume provides coverage of Recoil Chemistry in Gases and Liquids over the period July 1969 — July 1973.

Clothbound 256pp 8¾" X 5⅝" £13.00 (CS Members £9.75)

Molecular Spectroscopy Vol. 3

Senior Reporters:
Dr R. F. Barrow, *University of Oxford*
Professor D. A. Long, *University of Bradford*
Professor D. J. Millen, *University College, London*
In common with previous volumes, this third volume does not attempt comprehensive coverage, but instead provides a detailed and critical analysis of selected topics based on the 1973 and early 1974 literature. The volume covers: Microwave Spectroscopy; Force-constant Calculations in Molecules; Experimental Resonance Raman Spectroscopy; Matrix Isolation; Rotation and Vibration-Rotation Raman and Infrared Spectra of Gases; Raman Spectra of Solids; The Electronic Spectra of Triatomic Molecules and the Renner-Teller Effect.

Clothbound 603pp 8¾" X 5⅝" £24.00 (CS Members £18.00)

Surface and Defect Properties of Solids Vol. 4

Senior Reporters:
Professor M. W. Roberts, *University of Bradford*
Professor J. M. Thomas, *University College of Wales, Aberystwyth*
This fourth volume covers the recent literature up to April 1974 on the following topics: Intrazeolitic Transition-metal Ion Complexes; The Steam Reforming of Hydrocarbons; Auger Electron Spectroscopy and its Applications in Surface Chemistry; The Behaviour of Metal Lattice Vacancies during Oxidation; Crystallographic Shear in Silicate Structures; Transmission Electron Microscopy of Extended Defects in Alkali Halide Crystals.

Clothbound 265pp 8¾" X 5⅝" £14.00 (CS Members £10.50)

Orders to The Publications Sales Officer, The Chemical Society, Blackhorse Road, Letchworth, Herts. SG6 1HN.

INDEX OF AUTHORS, 1975

C

D

E

F

H

I

L

M

N

O

P

Q

R

S

T

U

V

W

Y

Z

INDEX OF SUBJECTS, 1975

C

D

E

F

G

H

I

N

R

S

T

JOURNAL OF THE CHEMICAL SOCIETY

The scale and cost of present day publication make it necessary to ask authors to co-operate with the Society to the full. To facilitate this the Society will publish a sequence of notices to authors within these covers. It is intended to deal with all major aspects of the preparation, submission, content, and handling of articles intended for the *Journal*. Careful attention to these notices will help authors to have their work published more easily and rapidly.

NOTICES TO AUTHORS—No. 1

General Policy

The *Journal of the Chemical Society* is a medium for reporting selected original and significant contributions to new chemical knowledge. Articles which do not advance knowledge (*e.g.* reviews) will not normally be considered for publication in the *Journal*.

All contributions are judged on the criteria of (i) originality and quality of scientific content and (ii) appropriateness of the length to content of new science. Thus, papers reporting results which would be routinely predicted or result from application of standard procedures or techniques are unlikely to prove acceptable in the absence of other attributes which themselves make publication desirable.

Although short articles are acceptable, the Society strongly discourages fragmentation of a substantial body of work into a number of short publications. Unneccessary fragmentation will be a valid reason for rejection of manuscripts.

The *Journal* is published in five Transactions: Dalton, Inorganic; Perkin I, Organic and Bio-organic; Perkin II, Physical Organic; Faraday I, Physical; Faraday II, Chemical Physics.

Authors are requested to indicate, at the time they submit a typescript, the Transactions for which it is intended. Should this seem unsuitable, the Editor will inform the author.

Conditions Governing Acceptance

Contributions which have appeared or have been accepted for publication with essentially the same content in another journal or which incorporate freely available printed work will not be published in the *Journal* except by permission of the Council. This restriction does not apply to results previously published in materially abbreviated form, as a paper presented at a symposium, as a communication to *Chemical Communications*, as a letter to the Editor of other periodicals, or as a patent.

Contributions are accepted by the Society on the understanding that the authors (*a*) have obtained any necessary authority for publication, and (*b*) will, if requested, surrender their copyright to the Society.

Authors are solely responsible for the factual accuracy of their contributions.

Since the Society reserves the right to retain all typescripts sent to it, authors are advised to keep copies. When contributions have been submitted for publication the authors are not at liberty, save by permission of the Society, to withdraw or delay them or to publish them elsewhere until after publication by the Society.*

Submission of Articles

Typescripts should be addressed to: The Director of Publications, The Chemical Society, Burlington House, London W1V 0BN.

Three copies of the typescript (a top copy and two good quality carbon or Xerox copies) are required.

Rapid publication is aided by careful preparation of text and illustrations and strict adherence to the format and conventions of individual Transactions; detailed Instructions to Authors are available on request from the Editor.

Particular attention is drawn to the use of (i) SI units and associated conventions, (ii) I.U.P.A.C. nomenclature for compounds, and (iii) standard methods of literature citation.

Administration

Receipt of a contribution for consideration will be acknowledged immediately by the Editorial Office. The acknowledgement will indicate the paper reference number assigned to the contribution. Authors are particularly asked to quote it on all subsequent correspondence.

* Attention is drawn to the following extract from the Society's Bye-Laws:

84. (i) Every Fellow who, with a view to its publication by the Society, submits a paper or other communication shall by so doing undertake:

(*a*) that his communication has not been published and that he will not permit its publication before it is accepted or declined by the Society, and

(*b*) that if it is accepted for publication the Society shall thereupon become entitled to the copyright therein and that he will, when called on to do so, assign, insofar as he is permitted to do so, to the Society the said copyright, including the sole right to print and publish in any form, in any language, and in any part of the world, the whole or any part of his communication. The Council shall not refuse any reasonable request from any author to reproduce his own work elsewhere in whole or in part.

The attention of every Fellow who submits a paper or other communication for publication shall be drawn to this Bye-Law.

(ii) Any person other than a Fellow who submits any paper or other communication with a view to its publication shall be required to sign an undertaking in the terms set out above.

NOTICES TO AUTHORS—No. 2/1968

Presentation of Papers

Every latitude, consistent with brevity, in the form and style of papers is permitted, and no pattern for either is prescribed. Certain elements are, however, common to all papers, and these are considered.

Organization of Material

Title.—The choice of a title for a paper is of the greatest importance, since it is from the title that the important key-words used in information retrieval are taken. Not only should the title clearly and accurately indicate the content of that paper but also it should be as specific as the content and emphasis of the work permits. Brevity in a title, though desirable, should be balanced against its accuracy and usefulness.

Abbreviations, symbols, and formulae are generally not permitted, and it is usual to spell out terms where necessary.

Reference to the preceding part of a series must be made as the reference (numbered 1) to the title in the form: 'The Chemistry of Vitamin B_{12}. Part VIII.[1] Controlled Potential Reduction of Vitamin B_{12a}.' [Reference to a preceding part in the references is in the form: Part VII, H. A. O. Hill, B. E. Mann, J. M. Pratt, and R. J. P. Williams, *J. Chem. Soc.* (*A*), 1968, 564. If the page number is unknown because the paper has still to be accepted, or is in the press, the paper number should be given.]

Summary.—Every paper for the *Journal* must be accompanied by a summary (50—250 words) setting out briefly and clearly the objects and results of the work. The summary should give a reader a clear idea of what the work has achieved and should be *independent* of the main text. This last point is of particular importance in connection with the names of compounds which, although they may be accompanied by a number which refers to a displayed formula in the body of the text, must be comprehensible without reference to this formula. Thus,

> Apetalactone, a new triterpene lactone isolated from *Calophyllum apetalum* Willd. has been shown to be 4,28-dihydroxy-3,4-secofriedelan-3-oic acid lactone (IIa).
>
> or
>
> Reaction of sodium hydride with ω-hydroxyalkyltriphenylphosphonium salts $Ph_3P^+[CH_2]_nOH\ X^-$ (I) has been investigated. The salt (I; $n = 1$, X = 1) gave triphenylphosphine and formaldehyde. The salt (I; $n = 2$, X = 1) gave triphenylphosphine oxide and ethylene. Similar reactions were carried out with ω-hydroxyalkyltriphenylarsonium (XIV) and ω-hydroxyalkyldimethylphenylammonium (XV) salts.

The summary should concern only the main subject of the work and its main conclusions; details of an involved argument or synthesis should not be included and, although classes of compounds prepared or discussed should be given rather than a list of compounds, key compounds in the work should be referred to.

Introduction.—This should give clearly and briefly, with relevant references, both the nature of the problem under investigation and its background.

Results and Discussion.—It is usual for the results to be presented first, and for them to be followed by a discussion of their significance. Only relevant results should be presented, and figures, tables, and equations should be used only for purposes of clarity and brevity. Data must not be reproduced in more than one form, *e.g.* in both figures and tables.

Experimental Section.—Descriptions of experiments should be given in detail sufficient to enable experienced experimental workers to repeat them; the degree of purity of materials should be given, as should the relative quantities used. Descriptions of established procedures are unnecessary. Standard techniques and methods used throughout the work should be stated at the beginning of the section. Apparatus should be described only if it is non-standard; commercially available instruments are referred to by their stock numbers (*e.g.* Perkin-Elmer 137 or Unicam SP 500 spectrophotometers). The accuracy of primary measurements should be stated. Unexpected hazards encountered during the experimental work should be noted. The detailed treatment of the Experimental section is dealt with in a forthcoming Notice to Authors.

Acknowledgements.—Contributors, other than co-authors, are acknowledged in a separate paragraph at the end of the paper; acknowledgements should be as brief as possible. Titles, Mr., Mrs., Miss, Dr., Professor, *etc.*, are given; degrees are not given. Organizations which operate on a commercial basis are not acknowledged.

Bibliographic References.—These are given on a separate sheet at the end of the manuscript and are referred to in the text by superior roman numerals. They must be distinguished from footnotes which are given at the bottom of the page to which they refer; they are referred to by an asterisk (*), dagger (†), *etc.* Bibliographic references and footnotes are the subject of Notice No. 3.

General Detail

Type Size.—It should be noted that since the Experimental section and the results are printed in smaller type than the theoretical part, division between the two should be clear-cut and frequent alternation is not advisable.

Brevity.—Because of the large volume of work submitted for publication, brevity in the presentation of papers is essential and, for this reason, certain tendencies are discouraged; these are as follows:

(*a*) Unnecessary division of work into separate parts of a series. Papers are in no way discouraged solely on grounds of length.
(*b*) Submission of fragmentary work when this can be included in a larger communication.
(*c*) Historical introductory paragraphs in cases when a simple statement of the accepted present position suffices.
(*d*) Undue elaboration of hypotheses.
(*e*) Over-detailed and verbose exposition of ideas.
(*f*) Excessive use of diagrams, for example, straight-line plots that can be adequately expressed as an equation together with, if necessary, a table of deviations.
(*g*) Duplication of data as between text, tables, and figures, *etc.*

(*h*) Details of the preparation of simple derivatives such as esters, ethers, semicarbazones, *etc.*, and slight variations of essentially the same technique. (Unless the conditions are critical, quantities are superfluous, and only an indication of reagents and/or conditions is required.)

Spelling.—Standard English spelling is used (*Oxford English Dictionary*), although latitude with respect to alternative spellings for certain words is allowed. Where one form or the other of a particular spelling is adopted it should be used consistently throughout a paper.

Punctuation.—Although punctuation follows standard English practice, the following conventions are observed:

(*a*) A comma is placed before ' and ' or ' or ' in a series such as ' oxygen, sulphur, and selenium ' or ' $\lambda_{max.}$ 237, 295, and 343 nm.'

(*b*) Parentheses, square brackets, and braces are used, as necessary, in that order, *i.e.* {[( )]}.

(*c*) When a word is followed by a punctuation mark the parenthetical phrase must be inserted before the latter, *e.g.* ' m.p. 234° (decomp.),' and not ' m.p. 234°, (decomp.)'.

(*d*) A colon is used to separate a ratio, as in 1 : 20 —not a solidus 1/20.

(*e*) Parenthetical expressions of the same physical quantity in different units are separated by a comma (3·9 g, 0·1 mol) (30 ml, 1 mol); expressions of different physical quantities are separated by a semicolon (2·9 g; 30 ml) (*d* 0·88; 8 ml).

Hyphenation.—Hyphens are used for two purposes: to divide and to compound.

Division. It is common practice to divide words, particularly when in a sequence, when one part is common to several of the words; in such cases, the hyphen, representing the point of attachment to the common part, is always inserted, *e.g.* ' the chloro-, bromo-, and fluoro-naphthacenes,' ' the *o-*, *m-*, or *p*-nitrotoluenes,' or ' the oxo-naphthalenes and -naphthacenes.' It is not good practice, however, to detach both a common prefix and a common suffix in a series, *e.g.* ' the dihydroxy- naphthalene- and phenanthrene-diones,' since confusion can arise.

' Sections ' of class names such as diazo-ketone, alkyl-diamine, epoxy-nitro-sulphone, *etc.*, are linked by hyphens.

It is also Society usage to insert a hyphen after a prefix which ends in a vowel or y; the hydroxy-group, the aza-function, the carboxy-compounds, the nitro-derivatives, but the methyl group (note that hydroxy, acetoxy, carboxy, ethoxy, and methoxy are used and not hydroxyl, acetoxyl, carboxyl, ethoxyl, and methoxyl).

It is customary to separate a pair of the same letter when these letters (in the same fount) would not naturally fall together, *e.g.* butyl-lithium, iodo-octane.

Compounding. A hyphen is often necessary when words are compounded to form a single modifying adjective to precede the noun being modified, thus: ' a melting-point determination ' or ' a free-radical chain mechanism.' A hyphen is not needed when adverbs are compounded, as in ' an electrically heated oven,' or for two-word chemical names such as ' nitric acid solution.'

Miscellaneous uses of hyphens. Hyphens are used to set apart numbers, configurational letters, Greek letters, and italicized prefixes: 1,2,5-trimethylcyclohexane, D-*gluco*-hexose, *s*-trinitrobenzene, β-chlorophenethylbenzene, tri-μ-carbonyl-bis(tricarbonyliron), and 3-methylpent-*trans*-2-ene.

Use of Italics.—As described below, italics are indicated in a typescript by single underlining. Particular attention should be paid to the following uses.

(*a*) Foreign words and phrases and Latin abbreviations are given in italics: *e.g.*, *in toto*, *in vivo*, *ca.*, *cf.*, *i.e.*, *etc.*

(*b*) In the names of chemical compounds or radicals italics are used for prefixes (other than numerals or symbols) when they define the position of named substituents, or when they define stereoisomers: other prefixes are printed in roman. (*Note:* Initial capital letters are not to be used with italic prefixes or single-letter prefixes: full points are not to be associated with letter prefixes.)

o-, *m-*, and *p*-nitrotoluenes, but *ortho-*, *meta-*, and *para*-compounds (*o-*, *m-*, and *p-* are used only with specific names; *ortho-*, *meta-*, and *para-* are used with classes), *s*-trinitrobenzene, *NN*-dimethylaniline, *trans-* and *cis*-hexane-1,2-diol, *gem-* and *vic*-diols, benzil *anti*-oxime, 3-*O*-methyl-L-*glycero*-tetrulose.

At the beginning of a sentence the first roman letter after the prefix is capitalized: ' D-*glycero*-D-*gluco*-Heptose was subjected . . . ' and ' β-*p*-Tolylchalcone gave . . . '

(*c*) The scientific names of genera, species, and varieties are italicized.

(*d*) In references to periodicals their names or abbreviations are set in italics.

Note: Greek letters are not italicized, and should not therefore be underlined in typescripts.

Headings.—(*a*) Main sections (Experimental, Discussion, *etc.*): side-heading, small capitals, no final fullstop.

(*b*) Main side-heading: italics, initial capital letter for each noun and adjective, final fullstop and dash.

(*c*) Subsidiary side-heading: italics, first initial capital only, final fullstop but no dash.

(*d*) Further subdivision: by italic (*a*), (*b*), *etc.* (no following fullstop), and finally (i), (ii), *etc.* If (a), (b), *etc.* are used in front of a subsidiary side-heading, then for contrast these letters are not italicized.

Letters and prefixes which are ordinarily printed in italics are transferred for contrast into roman type in italicized phrases (see example below, where *O*-alkyl becomes O-*alkyl*).

Physicochemical symbols, however, remain in their prescribed form, and numerals and Greek letters are not italicized.

Examples:

EXPERIMENTAL

Preparation of Aliphatic Aldoximes and Ketoximes. —*Acetoxime* O-*alkyl ethers.* (*a*) Acetoxime (100 g) was dissolved . . .

Density (*d*) *of the Alcohol at* 295 K.—The series of aliphatic alcohols . . .

Note: In the above examples it should be noted that the type of print required to indicate italics, capitals, small capitals, *etc.* is shown by underlining; this convention must be strictly adhered to, *i.e.*

Single underlining for *italic* type
Double underlining for SMALL CAPITALS
Treble underlining for ORDINARY CAPITALS
Wavy underlining for **bold black** type

Bibliographic References and Footnotes

A clear distinction is made between bibliographic references and footnotes. The latter are used to present material which, if included in the body of the text, would disrupt the flow of the argument but which is, nevertheless, of importance in qualifying or amplifying the textual material. Such footnotes are referred to with the following symbols: *, †, ‡, §, ¶, ‖, *etc.* [*Note:* Since an asterisk is used to indicate the author to whom correspondence should be addressed, its use early on in a paper is not advised; a dagger (†) is preferred.]

Bibliographic References.—Reference to the source of statements in the text is made by use of *superior numerals* at the appropriate place. The references themselves are given as footnotes at the bottom of the corresponding page in the final printed text. It is thus *essential* that bibliographic references are numbered in the order in which they will appear.

When citation of a paper is repeated the numeral previously given to that reference is to be used also at the second citation; the footnote is not repeated.

The position of the superior numeral should be chosen with care, particularly when it does not follow an author's name. If placed adjacent to punctuation, the numeral should normally be placed after the punctuation mark, *e.g.* 'This compound was shown to be the dienone,[3] which . . . '. It may be necessary to modify this rule, however, to avoid confusion, thus: 'In this way the method was found to be suitable for lead[2], tin[3], bismuth[4], and mercury[5].'

Particular care is necessary where a reference number is likely to be confused with a superscript numeral indicating a power index: '. . . which gave a value of 2·3 cm^3 . . . ' should be written as '. . . which gave a value[3] of 2·3 cm' or '. . . which gave a value of 2·3 cm (ref. 3)'.

Since it is usually difficult to print a table in a given position in the text, references within the table are best dealt with by taking the individual references into the printed footnotes to the tables and using a new reference number sequence therein. Should the references cited in the tables appear much earlier in the text, these earlier reference numbers may be used.

Journals. Journal titles must be abbreviated to the forms listed in Notice 4 of this series. The main principles which underlie these abbreviations are: (i) clarity to a chemist; (ii) a fullstop after each abbreviated word, but not after words in full; (iii) English and Latin adjectives have initial capital letters, other adjectives do not.

Books. Titles of books are cited in quotation marks, in upright letters, and the author(s), title, publisher, town, date (or edition, if more than one has been published), and page number (if required) must be given in that order:

C. J. M. Stirling, 'Radicals in Organic Chemistry,' Oldbourne Press, London, 1965, p. 69.

T. J. Suen, in 'Polymer Processes,' ed. C. E. Schildknecht, Interscience, New York, 1956, vol. X, p. 295.

Patents. Patents should be indicated in the form: B.P. 367,450, 367,455-7. U.S.P. 1,171,230. G.P. 436,112-4. Jap.P. 20,101. Dates are indicated thus: B.P. 666,776/1956. Patents which are applied for must always be given a year, *e.g.* B.P. Appl. 102/1968.

Reports and Bulletins, etc.

R. A. Allen, D. B. Smith, and J. E. Hiscott, 'Radioisotope Data,' UKAEA Research Group Report AERE-R 2938, H.M.S.O., London, 1961.

'Collected Papers on Methods of Analysis for Uranium and Thorium,' Geological Survey Bulletin 1006, U.S. Government Printing Office, Washington D.C., 1954.

Material presented at meetings.

N. N. Greenwood, Abstracts, Anniversary Meeting of the Chemical Society, Glasgow, 1965, C1.

N. S. Anderson and D. A. Rees, in 'Proceedings of the Vth International Seaweed Symposium,' ed. E. G. Young and J. L. McLachlan, Pergamon Press, Oxford, 1966, p. 405.

Theses.

A. D. Mount, Ph.D. Thesis, University of London, 1967.

Reference to unpublished material. For material presented at a meeting, congress, or before a society, *etc.*, but not published, the following form is used:

[1] A. R. Jones, presented in part at the XXth Congress of the International Union of Chemistry, Paris, September, 1960.

For material accepted for publication, but not yet published, the following form is used:

[2] A. R. Jones, *J. Amer. Chem. Soc.*, in the press.

If the paper has been submitted to the Society, the paper number should be given:

[3] A. R. Jones, *J. Chem. Soc.* (*A*), in the press (8/556).

For material submitted for publication but not yet accepted the following form is used:

[4] A. R. Jones, submitted for publication in *Angew. Chem.*

For personal communications the following form is used:

[5] G. B. Ball, personal communication. (*Note:* the form, G. B. Ball, private communication, is inappropriate.)

If material is to be published but has yet to be submitted the following form is used:

[6] Unpublished data.

Names.—The names and initials of all authors are always given in the reference footnote; they must not be replaced by the phrase *et al.* This does not prevent some, or all, of the names being mentioned at their first citation in the cursive text: initials are not necessary in the text.

For Chinese and Spanish authors all names should be given as in the original, since the patronymic is not always given last in these languages. If co-authors are to be collectively cited, as in 'Smith and his co-workers' or 'Smith *et al.*,' the latter form is inappropriate unless the individual name 'Smith' appears first among the authors named in the original.

Composite References.—Whenever possible, composite references should be used rather than a series of individual references. The style for composite references is as follows:

[1] A. B. Jones, *J. Chem. Soc.* (*A*), 1967, 234.

[2] A. B. Jones, *J. Chem. Soc.* (*A*), 1966, 123; 1967, 234.

[3] A. B. Jones, *J. Chem. Soc.* (*A*), 1966, 123; *J. Amer. Chem. Soc.*, 1956, **78**, 1234.

[4] A. B. Jones, *J. Chem. Soc.*, 1956, 234; A. B. Jones and C. D. Brown, *J. Chem. Soc.* (*B*), 1967, 234, 1077; 1968, 599.

[5] A. B. Jones, *J. Amer. Chem. Soc.*, 1956, **78**, 1234; A. B. Jones and C. D. Brown, *ibid.*, 1957, **79**, 567; A. B. Jones and E. F. Green, *ibid.*, p. 999.

If only one paper from a composite reference is required for citation later, then two numbers may be assigned to the first citation (*e.g.* Jones [1,2]); alternatively, long composite references may be divided by letters, *e.g.*:

(*a*) A. B. Jones, *J. Chem. Soc.* (*A*), 1954, 467; (*b*) A. B. Jones and C. D. Brown, *J. Chem. Soc.* (*B*), 1967, 234.

A. B. Jones, *J. Chem. Soc.* (*A*), (*a*) 1953, 267; (*b*) 1954, 1742; (*c*) *etc.*

A composite reference may cite a previous reference in the form:

[12] A. B. Jones, *J. Chem. Soc.*, 1956, 234; C. D. Brown, ref. 5.

(*Note: ibid.* is used only within a given reference and not to refer from one reference number to another: the abbreviated title for the journal should be repeated for separate reference numbers.)

Idem, loc. cit., and *op. cit.* are not used in references.

Abbreviations of Journal Titles.—Abbreviations for journal titles are constructed on the following general principles:

(*a*) When the full title consists of a single word it is not abbreviated: *Nature, Experientia, Tetrahedron.*

(*b*) In other cases the title or words selected from it are abbreviated as far as is consistent with the general principles:

(i) The abbreviated title should still enable the reader or librarian to identify the journal with ease; it should be readily expansible into the original or into full words near to the original. Accordingly, many words are unsuitable for abbreviation: *Acta, Bergvesen, Brewing, Cercetari, Dansk, Finishing, Folyoirat, Food, Istanbul, Sinica.*

(ii) The same word, if abbreviated, is always abbreviated in the same way, irrespective of the full title of the journal in which the word appears.

(iii) Nouns and adjectives derived directly from them receive the same abbreviation; initial capital letters are used for nouns, and small (lower case) initial letters for adjectives (unless they form the first word of the abbreviated title), except that for English and Latin titles adjectives are also given initial capital letters. Examples: Chemie *Chem.*, chemische(n) *chem.*, Chemistry or chemical *Chem.*, Chimie *Chim.*, chimique *chim.*, Chimie or chimica *Chim.*, Belgique *Belg.*, belges *belg.*

(iv) Related words not strictly covered by clause (iii) are differentiated. Examples: Chemistry and chemical *Chem.*, but Chemists in full; Engineering (adjective and noun) *Eng.*, but Engineers in full.

(v) Special sources of possible confusion require special treatment. Examples: *Ind.* for Industry and industrial, but India(n) in full; *Anal.* for Analele, *Analyt.* for Analytical, *Ann.* for Annals, Annales, Annalen, Annali, or Annual, but the full words for Anales, Analyst, and Annuaire.

(*c*) 'The', 'a', 'of', and 'and', as well as their equivalents in other languages, are omitted, except for rare cases where they seem essential for clarity, as in *Chem. and Ind.* (Chemistry and Industry, not Chemical Industry or Industrial Chemistry).

(*d*) All abbreviations are followed by a fullstop (full point); full words in references do not require to be followed by a fullstop.

(*e*) Names of countries are added, without punctuation, when they form part of the full title, as in *J. Chem. Soc. Japan* (Journal of the Chemical Society of Japan) or *Bull. Soc. chim. France* (Bulletin de la Societe chimique de France; the 'France' may not be omitted here as the list contains two other *Bull. Soc. chim.* as well as *Bull. Soc. Chim. biol.*). The country of origin is added in parentheses when needed to avoid confusion, as in *Ann. Chim.* (*France*) (Annales de Chimie) and *Ann. Chim.* (*Italy*) (Annali di Chimica), and for some titles of Japanese and translations from Russian journals, as in *Pharm. Bull.* (*Japan*) and *J. Gen. Chem.* (*U.S.S.R.*).

(*f*) The following long-established extreme abbreviations are retained: *Ber.* (since 1945 this journal has been superseded by *Chem. Ber.*); *Compt. rend.*; *Gazzetta*; *Annalen.*

NOTICES TO AUTHORS—No. 4/1968

List of Abbreviations for Periodicals most commonly found in Chemical Papers

The following list is compiled from those journals which are received in the Chemical Society Library. Since journal titles and their abbreviations are printed in italics, they must be underlined in the manuscript.

Accounts Chem. Res.
Acta Acad. Aboensis, Math. Phys.
Acta Biochim. Biophys. Acad. Sci. Hung.
Acta Biochim. Iran.
Acta Biochim. Polon.
Acta Chem. Scand.
Acta Chim. Acad. Sci. Hung.
Acta Cryst.
Acta Metallurgica
Acta Phys. Acad. Sci. Hung.
Acta Phys. et Chem. Szeged.
Acta Polytech. Scand. (Chem.)
Acta Vitaminol.
Adv. Alicyclic Chem.
Adv. Analyt. Chem. Instrumen.
Adv. Appl. Microbiol.
Adv. Carbohydrate Chem.
Adv. Catalysis
Adv. Chem. Eng.
Adv. Chem. Phys.
Adv. Clin. Chem.
Adv. Colloid Interface Sci.
Adv. Enzymol.
Adv. Fluorine Chem.
Adv. Food Res.
Adv. Free-Radical Chem.
Adv. Heterocyclic Chem.
Adv. Inorg. Chem. Radiochem.
Adv. Lipid Res.
Adv. Macromol. Chem.
Adv. Magn. Resonance
Adv. Org. Chem.
Adv. Organometallic Chem.
Adv. Pest Control Res.
Adv. Petrol. Chem.
Adv. Photochem.
Adv. Phys.
Adv. Phys. Org. Chem.
Adv. Protein Chem.
Adv. Quantum Chem.
Adv. Struct. Res. Diffraction Methods
Advancement Sci.
Afinidad
Agric. and Biol. Chem. (Japan)
Agric. Chem.
Agrokém. és Talajtan
Allg. prakt. Chem.
Ambix
Amer. Ceram. Soc. Bull.
Amer. Dyestuff Reporter
Amer. Inst. Chem. Engineers J.
Amer. J. Pharm
Amer. J. Sci.
Amer. Perfumer
Anais Acad. brasil. Cienc.
Anais Assoc. brasil. Quim.
Anal. Sti., Univ. "Al. I. Cuza" Iasi. Sect. Ic
Anales Asoc. quim. argentina
Anales Bromatol.
Anales de Quim.
Analyst
Analyt. Biochem.
Analyt. Chem.
Analyt. Chim. Acta
Analyt. Letters
Angew. Chem.
Angew. Chem. Internat. Edn.
Angew. makromol. Chem.
Ann. Acad. Sci. Fennicae
Ann. Chim. (France)
Ann. Chim. (Italy)
Ann. Endocrinol.
Ann. Fals. et Expertise chim.
Ann. Inst. Pasteur
Ann. New York Acad. Sci.
Ann. pharm. franç.
Ann. Physik
Ann. Physique
Ann. Report Fac. Pharm., Kanazawa Univ.
Ann. Report Inst. Seaweed Res.
Ann. Report ITSUU Lab.
Ann. Report Sankyo Res. Lab.
Ann. Reports Medicin. Chem.
Ann. Rev. Biochem.
Ann. Rev. Microbiol.
Ann. Rev. N.M.R. Spectroscopy
Ann. Rev. Phys. Chem.
Ann. Rev. Plant Physiol.
Ann. Soc. sci. Bruxelles
Ann. Stazione chim.-agrar. sper. Roma
Ann. Surveys Organometallic Chem.
Ann. Univ. M. Curie-Sklodowska, Sect. AA
Ann. Univ. Sci. Budapest, Sect. Chim.
Annalen
Appl. Spectroscopy
Arch. Biochem. Biophys.
Arch. Pharm.
Arch. Sci.
Arkiv. Fysik
Arkiv Kemi
Armyan. khim. Zhur.
Arzneim.-Forsch.
Atti Accad. nat. Lincei, Rend. Classe Sci. fis. mat. nat.
Austral. J. Biol. Sci.
Austral. J. Chem.
Austral. J. Phys.
Azerb. khim. Zhur.

Ber. Bunsengesellschaft Phys. Chem.
Berg- u. hüttenmänn. Montash. montan. Hochschule Leoben
Biochemistry
Biochemistry (U.S.S.R.)
Biochem. Biophys. Res. Comm.
Biochem. J.
Biochem. Pharmacol.
Biochem. Prep.
Biochem. Soc. Symp.
Biochim. appl.
Biochim. Biol. sper.
Biochim. Biophys. Acta
Biofizika
Biokhimiya
Biol. Rev. Camb. Phil. Soc.
Biopolymers
Biotechnol. and Bioeng.
Bol. Inst. Quim. agric. (Brazil)
Bol. Inst. Quim. Univ. nac. auton. Mexico
Bol. Soc. Chilena Quim.
Bol. Soc. quim. Peru
Boll. sci. Fac. Chim. ind. Bologna
Boll. Soc. ital. Biol. sper.
Bolyu-Kagaku
Brennstoff-Chem.
Brit. Bull. Spectroscopy
Brit. Chem. Eng.
Brit. Chemist
Brit. Corrosion J.
Brit. J. Pharmacol.
Bul. Inst. Politeh. Iasi
Bull. Acad. polon. Sci., Sér. Sci. chim.
Bull. Acad. Sci., U.S.S.R.
Bull. Chem. Soc. Japan
Bull. Inst. Chem., Acad. Sinica
Bull. Inst. Chem. Res., Kyoto Univ.
Bull. Inst. Nuclear Sci. "Boris Kidrich"
Bull. sci., Conseil Acad. R.S.F., Yougoslavie
Bull. Soc. chim. belges
Bull. Soc. chim. Beograd
Bull. Soc. Chim. biol.
Bull. Soc. chim. France
Bull. Soc. roy. Sci. Liège

Canad. Chem. Processing
Canad. J. Biochem.
Canad. J. Chem.
Canad. J. Chem. Eng.
Canad. J. Pharm. Sci.
Canad. J. Phys.
Canad. Spectroscopy
Carbohydrate Res.
Carbon
Catalysis Rev.
Cellulose Chem. Technol.
Cereal Chem.
Cesk. Farm.
Chem. Age
Chem. analit.
Chem. and Ind.
Chem. and Pharm. Bull. (Japan)
Chem. and Phys. Carbon
Chem. and Phys. Lipids
Chem. Ber.
Chem. Comm.
Chem. Engineer
Chem. Eng.
Chem. Eng. (Japan)
Chem. Eng. News
Chem. Eng. Progr.
Chem. Eng. Progr., Monographs
Chem. Eng. Progr., Symp.
Chem. Eng. Sci.
Chem. Erde
Chem. Heterocyclic Compounds
Chem. High Polymers (Japan)
Chem. in Britain
Chem. in Canada
Chem. Ind. (Düsseldorf)
Chem. Ind. Internat.
Chem.-Ing.-Tech.
Chem. listy
Chem. Natural Compounds
Chem. Oil and Gas, Romania
Chem. Phys. Letters
Chem. Process Eng.
Chem. Processing
Chem. Processing (S. Africa)
Chem. Processing (U.S.A.)
Chem. průmysl
Chem. Rev.
Chem. Soc. Special Publ.
Chem. Slosowana
Chem. Tech. (Berlin)
Chem. Week
Chem. Weekblad
Chem.-Ztg.
Chem. Zvesti
Chemist-Analyst
Chemist and Druggist
Chemistry (Quart. Chinese Chem. Soc., Formosa)
Chim. analyt.
Chimia (Switz.)
Chimica e Industria
Chimie et Industrie
Chimika Chronika
Chromatographia
Chromatog. Rev.
Ciencia
Clinical Biochem.
Clinical Chem.
Clinica Chim. Acta
Coke and Chemistry (U.S.S.R.)
Coll. Czech. Chem. Comm.
Colloid J. (U.S.S.R.)
Combustion and Flame
Comm. Fac. Sci. Univ. Ankara
Compt. rend.
Compt. rend. Acad. bulg. Sci.
Compt. rend. Soc. Biol.
Compt. rend. Soc. Phys. Hist. nat. Genève
Compt. rend. Trav. Lab. Carlsberg
Co-ordination Chem. Rev.
Corrosion
Corrosion Sci.
Croat. Chem. Acta
Current Sci.

Dansk Tidsskr. Farm.
Dechema Monograph.
Deut. Farb.-Z.
Deut. Lebensm.-Rundschau
Developments Appl. Spectroscopy
Discuss. Faraday Soc.
Diss. Abs.
Doklady Akad. Nauk Armyan. S.S.R.
Doklady Akad. Nauk Azerb. S.S.R.
Doklady Akad. Nauk S.S.S.R.
Dopovidi Akad. Nauk Ukrain. R.S.R. Ser. B.
Double-Liaison

Educ. in Chem.
Electroanalyt. Chem.
Electrochem. Technol.
Electrochim. Acta
Elektrokhimiya
Endeavour
Enzymologia
Erdöl u. Kohle
Ernährungsforschung
European J. Biochem.
European J. Steroids
European Polymer J.
Experientia

Fed. Proc.
Ferment. i spirt. Prom.
Fette, Seifen, Anstrichm.
Finska Kemistsamfundets Medd.
Fiz.-khim. Mekh. Materialov
Fiz. Metall. i Metallov.
Fluorine Chem. Rev.
Food
Food Manuf.
Food Technol.
Fortschr. Arzneim.
Fortschr. Chem. Forsch.
Fortschr. Chem. org. Naturstoffe
Fortschr. Hochpolym.-Forsch.
Fuel

Gazzetta
General Cytochem. Methods
Geokhimiya
Gidrokhim. Mat.
Giorn. Microbiol.
Glass Technol.
Grasas y Aceites

Halogen Chem.
Helv. Chim. Acta
Helv. Phys. Acta
High Energy Chem.

Ind. Chim.
Ind. chim. belge
Ind. and Eng. Chem.
Ind. and Eng. Chem. (Fundamentals)
Ind. and Eng. Chem. (Process Design)
Ind. and Eng. Chem. (Product Res. and Development)
Ind. Finishing
Ind. Lab.
Indian J. Appl. Chem.
Indian J. Biochem.
Indian J. Chem.
Indian J. Pure Appl. Phys.
Industria y Química
Ing. chim. (Bruxelles)
Inorg. Chem.
Inorg. Chim. Acta
Inorg. Chim. Acta, Rev.
Inorg. Materials
Inorg. Nuclear Chem. Letters
Inorg. Synth.
Inst. Internat. Chim. Solvay Conseil Chim.
Internat. Chem. Eng.
Internat. J. Appl. Radiation Isotopes
Internat. J. Quantum Chem.
Internat. J. Quantum Chem., Symp.
Internat. J. Radiation Biol.
Internat. Sugar J.
Internat. Z. Vitaminforsch.
Intra-Sci. Chem. Reports
Ion Exchange
Israel J. Chem.
Israel J. Technol.
Ital. J. Biochem.
Izvest. Akad. Nauk Kazakh. S.S.R., Ser. khim.
Izvest. Akad. Nauk Latv. S.S.R., Ser. khim.
Izvest. Akad. Nauk S.S.S.R., Neorg. Materialy
Izvest. Akad. Nauk S.S.S.R., Ser. khim.
Izvest. sibirsk. Otdel. Akad. Nauk, Ser. khim. Nauk

Japan Analyst
Japan Chem. Quart.
Jap. J. Pharmacol.
J. Agric. Chem. Soc. Japan
J. Agric. Food Chem.
J. Amer. Ceram. Soc.
J. Amer. Chem. Soc.
J. Amer. Leather Chemists' Assoc.
J. Amer. Oil Chemists' Soc.
J. Analyt. Chem. (U.S.S.R.)
J. Appl. Chem.
J. Appl. Chem. (U.S.S.R.)
J. Appl. Cryst.
J. Appl. Phys.
J. Appl. Polymer Sci.
J. Assoc. Offic. Analyt. Chemists
J. Assoc. Public Analysts
J. Biochem. (Japan)
J. Biol. Chem.
J. Catalysis
J. Chem. Documentation

J. Chem. Educ.
J. Chem. and Eng. Data
J. Chem. Phys.
J. Chem. Soc. (A)
J. Chem. Soc. (B)
J. Chem. Soc. (C)
J. Chem. Soc. Japan
J. Chem. Soc. Japan, Ind. Chem. Sect.
J. Chem. U.A.R.
J. Chim. phys.
J. Chinese Chem. Soc. (Formosa)
J. Chromatog.
J. Colloid Interface Sci.
J. Econ. Entomol.
J. Electroanalyt. Chem. Interfacial Electrochem.
J. Electrochem. Soc.
J. Electrochem. Soc. Japan
J. Fac. Sci. Univ., Tokyo
J. Food Sci.
J. Franklin Inst.
J. Gas Chromatog.
J. Gen. Chem. (U.S.S.R.)
J. Heterocyclic Chem.
J. Histochem. Cytochem.
J. Indian Chem. Soc.
J. Indian Inst. Sci.
J. Inorg. Nuclear Chem.
J. Inst. Brewing
J. Inst. Chemists (India)
J. Inst. Fuel
J. Inst. Petroleum
J. Inst. Rubber Ind.
J. Karnatak Univ.
J. Korean Chem. Soc.
J. Labelled Compounds
J. Less-Common Metals
J. Lipid Res.
J. Macromol. Sci.
J. Mass Spectrometry Ion Phys.
J. Materials
J. Medicin. Chem.
J. Mol. Biol.
J. Mol. Spectroscopy
J. Mol. Structure
J. Natural Sci. Math., Govt. Coll., Lahore
J. Neurochem.
J. New Zealand Inst. Chem.
J. Nuclear Materials
J. Oil Colour Chemists' Assoc.
J. Opt. Soc. Amer.
J. Org. Chem.
J. Org. Chem. (U.S.S.R.)
J. Organometallic Chem.
J. Pharm. Pharmacol.
J. Pharm. Sci.
J. Pharm. Soc. Japan
J. Pharmacol.
J. Phys. (A)
J. Phys. (B)
J. Phys. (C)
J. Phys. (E)
J. Phys. and Chem. Solids
J. Phys. Chem.
J. Phys. Soc. Japan
J. Polarog. Soc.
J. Polymer Sci., Part A-1, Polymer Chem.
J. Polymer Sci., Part A-2, Polymer Phys.
J. Polymer Sci., Part B, Polymer Letters
J. Polymer Sci., Part C, Polymer Symposia
J. prakt. Chem.
J. Proc. Roy. Soc. New South Wales
J. Quant. Spectroscopy Radiative Transfer
J. Radioanalyt. Chem.
J. Res. Inst. Catalysis, Hokkaido Univ.
J. Res. Nat. Bur. Stand., Sect. A
J. S. African Chem. Inst.
J. Sci. Food Agric.
J. Sci. Hiroshima Univ.
J. Sci. Ind. Res., India
J. Sci. Instr.
J. Soc. Cosmetic Chemists
J. Soc. Dyers and Colourists
J. Soc. Leather Trades' Chemists
J. Struct. Chem.
J. Synthetic Org. Chem., Japan
J. Textile Inst.

Khim. geterotsikl. Soedinenii
Khim. i Ind.
Khim. i neft. Mashinostr.
Khim. prirod. Soedinenii
Khim. Prom.
Khim. Volokna
Khim. vysok. Energii
Kinetics and Catalysis (U.S.S.R.)
Kinetika i Kataliz
Kolloid-Z.
Kolloid. Zhur.
Kristallografiya
Kunst. Plastics

Lab. Practice
Lipids

Macromolecules
Macromol. Rev.
Macromol. Synth.
Magyar Kém. Folyóirat
Magyar Kém. Lapja
Makromol. Chem.
Manuf. Chemist
Mededel. vlaam. chem. Ver.
Mekh. Polimerov
Melliand Textilber.
Mem. Fac. Sci. Kyushu Univ.
Mem. Inst. Protein Res., Osaka Univ.
Mem. Inst. Sci. Ind. Res., Osaka Univ.
Mém. Poudres
Methods Biochem. Analysis
Microchem. J.
Mikrochim. Acta
Mitt. deut. pharm. Ges.
Mol. Crystals
Mol. Phys.
Monatsh.

Nachr. Akad. Wiss. Göttingen, Math.-phys. Kl.
Nährung
Nature
Naturwiss.
Neftekhimiya

Orbital
Osterr. Chem.-Ztg.
Optics and Spectroscopy
Org. Analysis
Org. Mass Spectrometry
Org. Photochem.
Org. Reaction Mech.
Org. Reactions
Org. Synth.
Organometallic Chem. Rev.
Organometallic Synth.
Oxidation and Combustion Rev.

Paint Manuf.
Paint Technol.
Pakistan J. Sci.
Pakistan J. Sci. Ind. Res.
Pakistan J. Sci. Res.
Parfümerie u. Kosmetik
Perfumery Essent. Oil Record
Periodica Polytech.
Perspectives in Structural Chem.
Pharm. Acta Helv.
Pharm. J.
Pharm. Weekblad
Pharm. Zentralhalle
Phil. Mag.
Phil. Trans.
Photochem. and Photobiol.
Photoelectric Spectromet. Group Bull.
Phys. and Chem. Earth
Phys. and Chem. Glasses
Phys. Rev.
Phys. Rev. Letters
Physica
Phytochemistry
Plastics and Polymers
Polymer
Polymer Sci. (U.S.S.R.)
Postepy Biochem.
Priklad. Biokhim. i Mikrobiol.
Proc. Acad. Sci. (U.S.S.R.)
Proc. Amer. Soc. Brewing Chemists
Proc. Brit. Ceram. Soc.
Proc. Cambridge Phil. Soc.
Proc. Indian Acad. Sci.
Proc. Japan Acad.
Proc., k. ned. Akad. Wetenschap.
Proc. Nat. Acad. Sci., India
Proc. Nat. Acad. Sci. U.S.A.
Proc. Phys. Soc.
Proc. Roy. Soc.
Proc. Roy. Soc. Edinburgh
Proc. Soc. Exp. Biol. Med.
Proc. Soil Sci. Soc. Amer.
Process Biochem.
Progr. Biophys. Mol. Biol.
Progr. Boron Chem.
Progr. Chem. and Chem. Ind.
Progr. Chem. Fats and Lipids
Progr. Inorg. Chem.
Progr. N.M.R. Spectroscopy
Progr. Nucleic Acid Res.
Progr. Org. Chem.
Progr. Phys. Org. Chem.
Progr. Polymer Sci.
Progr. Reaction Kinetics
Progr. Solid-State Chem.
Progr. Stereochem.
Przemysl Chem.
Pure Appl. Chem.
Pyrethrum Post

Quart. Reports Sulphur Chem.
Quart. Rev.
Quimica e Industria

Radiation Res.
Radiochim. Acta
Radiokhimiya
Reakts. spos. org. Soedinenii
Rec. Chem. Progr.
Rec. Trav. chim.
Recent Developments Chem. Natural Carbon Compounds
Recent Progr. Hormone Res.
Recent Progr. Surface Sci.
Recherches
Rend. Accad. Sci. fis. mat. (Napoli)
Reports Govt. Chem. Ind. Res. Inst., Tokyo
Reports Inst. Phys. Chem. Res (Japan)
Reports Progr. Phys.
Residue Rev.
Rev. Asoc. bioquim. argentina
Rev. Chim. (Roumania)
Rev. Chim. minérale
Rev. Fac. Cienc. quim., Univ. nac. La Plata
Rev. Fac. Farm. Bioquim., Univ. nac. mayor San Marcos
Rev. Fac. Sci. Univ. Istanbul Ser. C
Rev. Mod. Phys.
Rev. Phys. Chem. Japan
Rev. Port. Quim.
Rev. Prod. chim.
Rev. Pure Appl. Chem. (Australia)
Rev. Roumaine Biochim.
Rev. Roumaine Chim.
Rev. Sci. Instr.
Rev. Soc. quim. Mexico
Rev. Univ. ind. Santander Colombia
Ricerca sci.
Roczniki Chem.
Roy. Inst. Chem., Lecture Series
Roy. Inst. Chem. Rev.
Rubber Chem. Technol.
Rubber Plastics Age
Russ. Chem. Rev.
Russ. J. Inorg. Chem.
Russ. J. Phys. Chem.

Safybi
Sbornik Prác Chem. Fak. S.V.Š.T.
Schweiz. Apoth.-Ztg.
Sci. Papers Coll. Gen. Educ., Univ. Tokyo
Sci. Papers Univ. Chem. Technol., Pardubice
Sci. Papers Inst. Phys. Chem. Res., Tokyo
Sci. Proc. Royal Dublin Soc.
Sci. Reports Res. Inst., Tôhoku Univ.
Sci. Reports Tôhoku Univ.
Science
Science and Culture
Separation Sci.
Soap
Soc. Sci. Fennica, Commentationes Phys.-Math.
Soc. Sci. Lodz. Acta Chim.
Soil Sci.
Soviet Phys. Cryst.
Spectochim. Acta
Sperimentale
Stärke
Stain Technol.
Standard Methods Clin. Chem.
Steroids
Structure and Bonding
Studia Univ. Babes-Bolyai, Ser. Chem.
Suomen Kem.
Surface Sci.
Svensk kem. Tidskr.
Svensk Papperstidn.
Synthetic Methods Org. Chem.

Talanta
Technol. Reports Osaka Univ.
Technol. Reports Tôhoku Univ.
Teor. i eksp. Khim.
Teor. Osnovy khim. Tekhnol.
Tetrahedron
Tetrahedron Letters
Textile Inst. and Ind.
Textile Res. J.
Theor. and Exp. Chem.
Theor. Chim. Acta
Tidsskr. Kjemi Bergvesn Met. (Kjemi)
Topics Stereochem.
Trans. Brit. Ceram. Soc.
Trans. Chalmers Univ. Technol., Gothenburg
Trans. Faraday Soc.
Trans. Inst. Chem. Engineers
Trans. Inst. Metal Finishing
Trans. J. Plastics Inst.
Trans. Roy. Soc. Canada
Transition Metal Chem.
Trudy Inst. Elektrokhim. Akad. Nauk S.S.S.R., Ural'skii Filial
Trudy Inst. khim. Akad. Nauk Azerb. S.S.R.
Trudy Inst. khim. Nauk, Akad. Nauk Kazakh. S.S.R.
Trudy Khim. i khim. Tekhnol.
Trudy Kom. analit. Khim., Akad. Nauk S.S.S.R.

Ukrain. biokhim. Zhur.
Ukrain. khim. Zhur.
Uspekhi Khim.
Usbek. khim. Zhur.

Verhandel. k. ned. Akad. Wetenschap., Afd. Natuurk.
Vestnik Leningrad. Univ. (Fiz. Khim.)
Vestnik Moskov. Univ.
Vestnik Slovensk. kem. Drustva
Veszpremi Vegyi. Egyetem Közl.
Vitamins and Hormones
Voprosy med. Khim.
Vysokomol. Soedineniya

Wallerstein Lab. Comm.
Wiss. Z. tech. Hochschule Chem. Leuna-Merseburg

Zavodskaya Lab.
Z. analyt. Chem.
Z. anorg. Chem.
Z. Chem.
Z. Krist.
Z. Lebensm.-Untersuch.
Z. Naturforsch.
Z. phys. Chem. (Frankfurt)
Z. phys. Chem. (Leipzig)
Z. Physik
Z. physiol. Chem.
Z. Vitamin-,Hormon-u.Fermentforsch.
Z. wiss. Phot.
Zeszyty Nauk., Mat., Fiz., Chem.
Zeszyty Nauk. Politech. lodz. (Chem.)
Zhur. analit. Khim.
Zhur. eksp. teor. Fiz.
Zhur. E.T.F. Letters
Zhur. evol. Biokhim. i Fiziol.
Zhur. fiz. Khim.
Zhur. nauch. priklad. Fotograf. Kinemat.
Zhur. neorg. Khim.
Zhur. obshchei Khim.
Zhur. org. Khim.
Zhur. priklad. Khim.
Zhur. priklad. Spektroskopii
Zhur. strukt. Khim.
Zhur. Vsesoyuz. Khim. obshch. im. D. T. Mendeleeva

NOTICES TO AUTHORS—No. 5/1969

The International System of Units (SI)

Preamble

For many years the practice of The Society in respect of units has been based on the recommendations of a joint Committee of The Royal Society, The Chemical Society, The Faraday Society, and The Physical Society. The 1951 set of recommendations published by that Committee formed the basis of Chapter 7 of the ' Handbook for Chemical Society Authors ' but since their promulgation much effort has been expended in international circles to devise and approve a basic set of coherent units. This having been completed, The Joint Symbols Committee of The Royal Society, of which The Chemical Society is a participating member, has produced a completely new set of recommendations in a pamphlet ' Symbols, Signs and Abbreviations ' 1969 (copies of this pamphlet or further details can be obtained from the Managing Editor, The Chemical Society, Burlington House, London, W1V OBN). The basis of the new recommendations is the ' Système International d'Unités ' (to be abbreviated to SI, in all languages).

The advantages offered by SI are as follows.

(i) It is a truly coherent system, *i.e.* the product or quotient of any two unit quantities in the system is the unit of the resultant quantity. This contrasts with the previous situation where, even in metric systems used within the same discipline, many additional units are arbitrarily and sometimes differently defined.

(ii) SI derives nearly all the quantities needed in all sciences and technologies from a very small set of base-units.

(iii) The variety of multiples and sub-multiples in common use is minimized.

(iv) A more uniform presentation can be ensured.

(v) Presentation is such that the relation of any derived unit, or multiple or sub-multiple of a derived unit, to the coherent unit is always obvious and simple.

Policy

(1) The Society announces its approval and support of SI, and its intention that SI shall become the preferred system in its publications.

(2) *Guidelines for the publications of the Society.* The Society realises that public acceptance of this system will be more a matter of education and tolerance than of dictatorial action. It nevertheless desires that the SI system and units compatible with it shall *rapidly* become the established standard in the Society's publications. An author will not be denied any reasonable usage, but if non-SI units are used for critical data or for quantities measured to a high order of accuracy (as opposed to the rough physical conditions of an experiment), the definitive values will be expressed in SI units as well.

The following will be the guidelines used:

(*a*) A metric system will always be used in preference to a non-metric one.

(*b*) The SI system will be the standard usage.

(*c*) The units used to record the *definitive* values of ' critical data ' or quantities measured to high degree of accuracy will be of the SI system.

(*d*) When non-SI units are used they must be adequately explained unless their definition is obvious (*e.g.* degree Celsius, mmHg, g, h). The derivation of derived non-SI units will be indicated.

(*e*) Equations involving electrical quantities should normally be those appropriate for use with SI (rationalized m.k.s) units. If authors wish to use equations suitable for e.s.u. or e.m.u. the lack of consistency with SI units must be explicitly noted.

(3) *The principal changes.* There are four of these:

(*a*) Basic units: the metre and the kilogramme replace the centimetre and the gramme of the old metric system.

(*b*) The unit of force is now the newton (kg m s^{-2}).

(*c*) The unit of energy is the joule and of power the joule per second (watt); thus the variously defined calories and non-metric units of energy and power are superseded.

(*d*) ' Electrostatic ' and electromagnetic ' units are replaced by SI electrical units.

Detail

(4) *Definition.* A quantity is expressed as the product of a numerical value and a unit.

(5) *The System.* The fully coherent SI consists of base-units, supplementary units, derived units, and decimal multiples and sub-multiples of these units, formed by use of prefixes only.

(6) *Coherent systems.* A coherent system is one based on a selected set of ' base-units ' from which ' derived units ' are obtained by multiplication without introducing numerical factors.

(7) *Base-units.* The name International System of Units (SI) was adopted by the Conférence Générale de Poids et Mesures in 1960 for the coherent system now based on the base-units given in Table 1.

TABLE 1

Physical quantity	*Name of base-unit*	*Symbol for unit*
length	metre	m
mass	kilogramme	kg
time	second	s
electrical current	ampere	A
thermodynamic temperature	kelvin	K
luminous intensity	candela	cd
amount of substance	mole	mol

(8) *Supplementary units.* The SI also includes two ' supplementary ' *dimensionless* units as follows:

Physical quantity	*Name of unit*	*Symbol for unit*
plane angle	radian	rad
solid angle	steradian	sr

(9) *Multiples and sub-multiples.* In the SI there is one and only one basic unit for each physical quantity. Decimal fractions and multiples of these basic units may, however, be constructed by use of certain prefixes (see Table 2). They may also be used with derived SI units.

TABLE 2

Fraction	*Prefix*	*Symbol*	*Multiple*	*Prefix*	*Symbol*
10^{-1}	deci	d	10	deka	da
10^{-2}	centi	c	10^{2}	hecto	h
10^{-3}	milli	m	10^{3}	kilo	k
10^{-6}	micro	μ	10^{6}	mega	M
10^{-9}	nano	n	10^{9}	giga	G
10^{-12}	pico	p	10^{12}	tera	T
10^{-15}	femto	f			
10^{-18}	atto	a			

The combination of a prefix and a unit symbol constitutes a new single unit symbol; compounding of prefixes is not permitted.

Although it will not always be possible, particularly in Tables, the general principle should be to choose a unit (*i.e.* including multiple or sub-multiple) such that the resulting numerical value is between 0·1 and 1000.

(10) *Derived units.* Some derived units have special names and symbols, and these are given in Table 3.

TABLE 3

Physical quantity	*Name of SI unit*	*Symbol for SI unit*	*Definition of SI unit*
energy	joule	J	$kg\ m^2\ s^{-2}$
force	newton	N	$kg\ m\ s^{-2} = J\ m^{-1}$
power	watt	W	$kg\ m^2\ s^{-3} = J\ s^{-1}$
electric charge	coulomb	C	A s
electric potential difference	volt	V	$kg\ m^2\ s^{-3}A^{-1} = JA^{-1}s^{-1}$
electric resistance	ohm	Ω	$kg\ m^2\ s^{-3}A^{-2} = VA^{-1}$
electric capacitance	farad	F	$A^2s^4\ kg^{-1}\ m^{-2} = As\ V^{-1}$
magnetic flux	weber	Wb	$kg\ m^2\ s^{-2}A^{-1} = V\ s$
inductance	henry	H	$kg\ m^2\ s^{-2}A^{-2} = VA^{-1}\ s$
magnetic flux density	tesla	T	$kg\ s^{-2}A^{-1} = V\ s\ m^{-2}$
luminous flux	lumen	lm	cd sr
illumination	lux	lx	$cd\ sr\ m^{-2}$
frequency	hertz	Hz	s^{-1}

Others do not

Physical quantity	*SI unit*	*Symbol for SI unit*
area	square metre	m^2
volume	cubic metre	m^3
density	kilogramme per cubic metre	$kg\ m^{-3}$
velocity	metre per second	$m\ s^{-1}$
angular velocity	radian per second	$rad\ s^{-1}$
acceleration	metre per second squared	$m\ s^{-2}$
pressure	newton per square metre	$N\ m^{-2}$
kinematic viscosity, diffusion coefficient	square metre per second	$m^2\ s^{-1}$
dynamic viscosity	newton second per square metre	$N\ s\ m^{-2}$
electric field strength	volt per metre	Vm^{-1}
magnetic field strength	ampere per metre	$A\ m^{-1}$
luminance	candela per square metre	$cd\ m^{-2}$

(11) *Symbol.* The symbol for a unit will be printed in roman (upright) type, remains unaltered in the plural and does *not* take a full point, *i.e.* 5 cm not 5 cm. or 5 cms or 5 cms.

The symbol will be separated from the numerical value by a thin space.

(12) *Decimal fractions and multiples of SI units having special names.* These names are not part of the SI, but for the time being their use in The Society's publications may continue. The list given in Table 4 is not exhaustive.

TABLE 4

Physical quantity	*Name of unit*	*Symbol unit*	*Definition of unit*
length	ångström	Å	$10^{-10}\ m = 10^{-1}\ nm$
length	micron	μm	$10^{-6}\ m$
area	barn	b	$10^{-28}\ m^2$
volume	litre	l	$10^{-3}\ m^3 = dm^3$
mass	tonne	t	$10^3\ kg = Mg$
force	dyne	dyn	$10^{-5}\ N$
pressure	bar	bar	$10^5\ N\ m^{-2}$
pressure	pascal	Pa	Nm^{-2}
energy	erg	erg	$10^{-7}\ J$
kinematic viscosity diffusion coefficient	stokes	St	$10^{-4}\ m^2\ s^{-1}$
dynamic viscosity	poise	P	$10^{-1}\ kg\ m^{-1}\ s^{-1}$
magnetic flux	maxwell	Mx	$10^{-8}\ Wb$
magnetic flux density (magnetic induction)	gauss	G	$10^{-4}\ T$
conductance	siemens	S	Ω^{-1}

(13) *Units defined in terms of the best available experimental values of certain physical constants.* These units are not part of the SI. The factors for conversion of these units to SI units are subject to change in the light of new experimental measurements of the constants involved. Their use outside the restricted contexts to which they are appropriate should be discouraged. The following list is not exhaustive.

Physical quantity	*Name of unit*	*Symbol for unit*	*Conversion factor*
energy	electronvolt	eV	$eV \approx 1{\cdot}6021 \times 10^{-19}\ J$
mass	unified atomic mass unit	u	$u \approx 1{\cdot}660\,41 \times 10^{-27}\ kg$

(14) *Other units now exactly defined in terms of the SI units.* These units are not part of the SI. It is recognized that their use may be continued for some time but it is recommended that except in special circumstances they should be progressively abandoned in conformity with international recommendations. The list given in Table 5 is by no means exhaustive. Each of the definitions given in the fourth column is *exact.*

TABLE 5

Physical quantity	*Name of unit*	*Symbol for unit*	*Definition of unit*
length	inch	in	$2{\cdot}54 \times 10^{-2}\ m$
mass	pound (avoirdupois)	lb	0·453 592 37 kg
time *	minute	min	60 s
time *	hour	h	3600 s
force	kilogramme-force	kgf	9·806 65 N
force	pound-force	lbf	$9{\cdot}806\,65 \times 0{\cdot}453\,592\,37\ N$
pressure	atmosphere	atm	$101\,325\ N\ m^2$
pressure	conventional millimetre of mercury	mmHg	$13{\cdot}5951 \times 9{\cdot}806\,65\ N\ m^{-2}$
pressure	torr	Torr	$(101\,325/760)\ N\ m^{-2}$
pressure	pound-force per square inch	$lbf\ in^{-2}$	$\frac{9{\cdot}806\,65 \times 4535{\cdot}9237}{6{\cdot}4516}\ N\ m^{-2}$
energy	kilowatt hour	kW h	$3{\cdot}6 \times 10^6\ J$
energy	thermochemical calorie	cal(thermochem.)	4·184 J
energy	I.T. calorie	cal_{IT}	4·1868 J
thermodynamic temperature	degree Rankine	°R	(5/9) K
radioactivity	curie	Ci	$3{\cdot}7 \times 10^{10}\ s^{-1}$

* Use of other common units (min, h, day) may continue in normal expressions of intervals of time.

NOTICE TO AUTHORS—No. 6/1969

Formulae and Figures

The purpose of all illustrative matter in a paper is to clarify the arguments and descriptions rather than to duplicate them. The Society strongly encourages the use of displayed formulae, particularly in the form of schemes where the details of a reaction sequence are often more easily understood when illustrated than when described in the text.

All formulae and figures should be clearly drawn, and in the case of figures provided with captions; the latter should be typed on a separate sheet. Since all formulae carry a key number by which they are identified, unless they form part of the running text or unless they are part of a scheme which itself has a caption, they are not generally further described. Blocks of formulae do not need a caption.

Illustrative matter is divided, for technical reasons, into figures and formulae, although in many cases (*e.g.* crystal structures which may be regarded as formulae but which are treated as figures) these divisions overlap.

Structural Formulae.—(*a*) Only those formulae which are displayed may be given key numbers. In all other cases the compounds concerned are referred to by name only.

(*b*) Formulae are numbered sequentially with bold arabic numerals in parentheses [(**1**), (**2**), and (**3**) *etc.*] as they are displayed and *not* as they are mentioned in the text.

(*c*) In complex reaction schemes the formulae should be numbered serially following the reaction sequence. Non-sequential numbering in a collection of formulae can render it hard to locate an individual number.

(*d*) Structural or displayed formulae must be carefully and accurately drawn or typed on a separate sheet, rather than inserted into the text, although a marginal indication of where they are to go in the text is desirable.

(*e*) Formulae inserted into the body of the text (as distinct from those displayed separately) should be written on one line if possible, *e.g.*

$HO{\cdot}CHMe{\cdot}CO_2H$ and $\overline{NH{\cdot}[CH_2]_5{\cdot}CO}$ rather than



(*f*) Points (which may be typed as full stops) are used to indicate bonds between the atoms of the backbone chain of a compound. The symbol of each element of that chain is preceded by a full stop (or colon for a double bond) and followed by the symbols or formulae of the atoms or groups that are attached to it (parentheses being used where necessary to enclose compound groups), *e.g.* *o*-$HO{\cdot}C_6H_4{\cdot}CH_2{\cdot}NH_2$ and $CH_2Cl{\cdot}CH(OH){\cdot}CO_2H$.

Groups that are indicated by a single symbol (*e.g.* Me and Et *etc.*) do not need use of such full stops.

Repeating sequences of a backbone composite group are enclosed with square brackets and their number is indicated by an inferior multiplier, *e.g.* $HO{\cdot}[CH_2]_4{\cdot}NH_2$, but $HO{\cdot}[CH_2]_4{\cdot}N(CH_2{\cdot}OH)_2$.

(*g*) The use of large circles to represent six delocalized π-electrons in cyclic systems (with or without positive or negative signs as appropriate) is permitted in certain circumstances. Cyclic systems with more or less than six delocalized π-electrons may be represented by formulae containing dotted lines. Both topics are dealt with in *Proceedings*, 1959, 75.

(*h*) Customary steric conventions must be observed, notably for steroids, triterpenes, and carbohydrates. The Society uses wedges (◢) or heavy lines (—) rather than blocked circles (●) and broken lines in the form – – – – – rather than ıllll.

(*i*) The symbols Me, Et, Pr^n, Pr^i, Bu^n, Bu^i, Bu^s, Bu^t, Ph, Ac, Bz (the symbol for PhCO and not for $PhCH_2$), Alk, Ar, and Hal, should be used but may be written in full when the groups are involved in the reaction described. Other special symbols, if used, require an explanatory footnote. The carboxy-group is written CO_2H (*not* COOH) and similarly CO_2R.

(*j*) One variable univalent substituent is indicated by R; when more than one independently variable general substituent is present, R^1, R^2, and R^3 should be used (*not* R, R^1, R^2, R^3; or R_1, R_2, and R_3 which indicate 1 × R and multiples of R thereof).

(*k*) Often it is desirable to use one formula to represent a number of related compounds (or classes of compounds) by the use of one or more independently variable substituents. It is preferable to give each compound thus represented a separate key number rather than to subdivide individual key numbers by alphabetical suffixes [*i.e.* (**1**a), (**1**b), (**1**c) *etc.*].

(**1**) $R^1 = R^2 = Ph$, $R^3 = Me$, X = O
(**2**) $R^1 = Me$, $R^2 = R^3 = Ph$, X = S

(**3**) $R^1 = Me$, $R^2 = Ph$, $R^3 = Bz$
(**4**) $R^1R^2 = CO{\cdot}O{\cdot}CO$, $R^3 = Ph$

The use of more than four independently variable substituents or atoms on one generalized formula is discouraged.

(*l*) Once a formula has been displayed it is permissible to employ its key number in later reaction schemes or equations rather than to re-display the formula:



Reagents: i, MeMgI; ii, NaOH; iii, HI

It should be noted that reagents and reaction conditions are given as footnotes to the scheme for economy of space; if present, an equation number is set as far to the right as possible, and if there is likelihood of

confusion with compound key-numbers it is accompanied by the word equation.

(*m*) Displayed formulae, unless they are capable of being typed on one line [see point (*e*) above], should not be included in tables; they should be displayed before the table with a key number for each compound and this should be used in the table.

(*n*) The key number for a compound may be used in the cursive text to avoid repetition of long chemical names; this device must not be used to excess. In general it is preferred if the key number is qualified by a partial name for the compound as in the following example:

'Pyolin (**1**) was oxidized by permanganate to the oxo-acid (**2**), the methyl ester (**3**) of which with methylmagnesium iodide gave the normal product (**4**)'.

(*o*) Reference to compounds in the Summary by key number alone is not allowed since a summary should be comprehensible without reference to the body of the paper itself. The reference number should, however, accompany the name of the compound to which it refers.

Figures.—(*a*) Figures must bear on the back the names of the authors, the title of the paper (abbreviated if necessary), and the number of the figure.

(*b*) Figures must be in Indian ink, on Bristol board, white smooth cartridge paper, tracing linen, plastic film (it is essential that the special plastic ink developed for this is used), or graph paper with *faint* blue lines (red or brown lines must not be present as these may be reproduced by the photographic process of block making). Since lines must be black and sharp, photostats or similar prints are often not suitable. If paper is used, it must be strong enough to withstand repeated handling.

(*c*) Lettering and numerals must be in *blue pencil* (*not* red or black pencil or ink) clearly legible but not so heavily scored as to make a permanent impression on the paper or board.

(*d*) When the figures are large (more than 8 in × 10 in), smaller copies (which may be rough, as long as they are clear) should be supplied for submission to the referees; editing will not be undertaken, however, before the final figures are received.

(*e*) Figures must be carefully drawn, preferably three times the size (linear) that seems necessary to ensure sharp printing, but excessive reduction is costly and illustrations that exceed five times the size of the finished block may be returned to the author for redrawing.

(*f*) Two-inch margins are essential all round figures. Lettering for insertion at margins should be placed well clear of the ordinate or abscissa line so that it can be copied before erasure.

Lettering and touching-up are done by the Society and clarity of instructions is essential. When there is much lettering, or complicated lettering, and always when tracing linen or plastic film is used, a rough tracing should be added with the lettering shown in ink.

(*g*) Since, for printing, the size is reduced, lines should not be too thin. Given lines must be of even thickness, angles neat, and curves smooth.

(*h*) Graphs should have only the requisite minimum of the scale (not less than three points) marked by numerals, and the scale lines should not normally be continued into the body of the figure.

(*i*) Graphs in any one paper should, when convenient, be drawn to the same scale, and scale markings should, when possible, be identical so that the graphs may be placed adjacent on the page. Contrariwise, two curves drawn to different scales can be shown on one graph by having the appropriate scales on the left-hand and the right-hand side. The use of both right- and left-hand axes and top and bottom axes on figures which have quantitative significance is encouraged.

(*j*) Experimental points must be shown sufficiently large to be distinguishable when reduced in size. Whenever possible, they should be confined to open and closed circles, crosses, squares, and triangles. Partly black circles and similar signs frequently become indistinguishable in print.

(*k*) Curves may be distinguished as full lines (——), broken (– – – –) or dotted lines (· · · ·), and dot-dash lines (— · — · —); further differentiation should normally be achieved by labelling the curves, which is, in any case, desirable.

(*l*) For reference in legends, it is preferable to mark curves A, B, C, *etc.* rather than to reproduce the type of line in print.

(*m*) There must be no unnecessary waste space, *e.g.* around curves; ordinates and abscissae should start at zero only if the curve extends to that range. Enlargement of parts of a figure can occasionally be placed in a corner of the complete figure.

(*n*) It is not advisable to insert much or complicated lettering on curves or in blank spaces; mistakes (in copying by the artist) can rarely be rectified once the block is made. It is better to label the curves A, B, C, *etc.* and to use explanatory legends.

(*o*) *Large* solid objects should be represented by hatching rather than by black surfaces, otherwise the ink may smear on printing.

(*p*) Photographs are reproduced by a half-tone process on art paper. The prints supplied must be very clear and of good contrast, as considerable definition may be lost in reproduction.

(*q*) Captions and explanatory legends, to be set by the printer should be typed on a separate page attached to the manuscript, and not given on the figure itself.

(*r*) Figures are numbered consecutively Figure 1, Figure 2, *etc.* (in arabic numerals). Photographs (half-tone reproduction) are numbered consecutively Plate 1, Plate 2, *etc.* but these numbers are independent of the numbering of any figures.

(*s*) Since figures represent an uneconomical use of space their number and size should be kept to a minimum. Figures and tables for the same values are discouraged.

NOTICES TO AUTHORS—No. 7/1970

Deposition of Data—Supplementary Publications Scheme

Preamble

The growing volume of research that produces large quantities of data, the increasing facilities for analysing such data mechanically, and the rising cost of printing are each making it very difficult to publish in the *Journal* in the normal way the full details of the experimental data which become available. Moreover, whilst there is a large audience for the general method and conclusions of a research project, the number of scientists interested in the details, and in particular in the data, of any particular case may be quite small. The National Lending Library (N.L.L.) in consultation with the Editors of scientific journals, has now developed a scheme whereby such data and detail may be stored and then copies made available on request at the N.L.L., Boston Spa. The Chemical Society is a sponsor of this scheme and has indicated to the National Lending Library its wish to use the facilities being made available in this ' Supplementary Publications Scheme '.

Bulk information (such as crystallographic structure factor tables, computer programmes and output, evidence for amino-acid sequences, spectra, *etc.*), which accompany papers published in future issues of the Chemical Society's *Journal* may in future be deposited, free of charge, with the Supplementary Publications Scheme, either at the request of the author and with the approval of the referees or on the recommendation of referees and the approval of the author.

The Scheme

Under this scheme, authors will submit articles and the supplementary material to the Journal simultaneously in the normal way, and both will be refereed. If the paper is accepted for publication the supplementary material will be sent by the Society to the National Lending Library where it will be stored on microfiche. Microfiche and enlarged copies will be obtainable by individuals both in the U.K. and abroad on quoting a supplementary publication number that will appear in the parent article. Difficult or oversized material may only be available as 35 mm microfilm or enlarged copies.

The Microfiche

A single microfiche will accommodate 58 pages in microform, plus an eye-visible title; additional pages are accommodated on numbered ' trailer ' fiches, each holding 69 pages. The eye-visible title on the first microfiche will comprise the supplementary publication number (see below), the authors' names, and the bibliographic reference to the parent article which the microfiche supplements.

Authors will be responsible for the preparation of camera-ready copy according to the following specifications (although the Society will be prepared to help in case of difficulty).

(*a*) Optimum page size for text or tables in typescript: up to 30 cm × 21 cm.
(*b*) Limiting page size for text or tables in typescript: 33 cm × 24 cm.
(*c*) Limiting size for diagrams, graphs, spectra, *etc.*: 39 cm × 28·5 cm.
(*d*) Tabular matter should be headed descriptively on the first page, with column headings recurring on each page.
(*e*) Pages should be clearly numbered to ensure the correct sequence of frames on the microfiche.

It is recommended that all material which is to be deposited should be accompanied by some prefatory text. Normally this will be the summary from the parent paper and authors will greatly aid the deposition of the material if a duplicate copy of the summary is provided. If authors have the facilities available the use of a type face designed to be read by computers is encouraged.

Deposition

The Society will be responsible for the deposition of the material with the National Lending Library. The N.L.L. will not receive material direct from authors since the Library wishes to ensure that the material has been properly and adequately refereed.

Action by the Society

The Society will receive a manuscript for publication together with any supplementary material for deposition and will circulate all of this to referees in the normal way. When the edited manuscript is sent to the printers the supplementary material will be sent for deposition to the National Lending Library who will issue the necessary publication number. The Society will add to the paper, at the galley proof stage, a footnote indicating what material has been deposited in the Supplementary Publications Scheme, the number of microfiches it occupies, the supplementary publication number, and details as to how copies may be obtained.

Availability

This supplementary material will be available either as microfiche or as a photographic enlargement, from the National Lending Library's photocopying service. This works on a prepaid, flat rate, coupon basis.

The present coupon buys one item on microfiche or 1—10 pages of photocopy from a single item.

The present coupon costs are:

U.K.	£5 for 20 coupons (or 25p each) + VAT
Europe, excluding U.K.	£15 for 20 coupons (or 75p each)
Elsewhere	£17 for 20 coupons (or 85p each)

The cost includes postage; outside the U.K. all items are sent by airmail.

It is realised that not all users will want to purchase 20 coupons at a time. The Society is therefore prepared to act as agent and hold coupons which may then be purchased from the Society at the prices quoted above.

In all correspondence with the National Lending Library or the Society authors must cite the supplementary publications number.

International Collaboration

A similar scheme (known as the National Auxiliary Publications Service) is being operated in the U.S.A. by the American Society for Information Science. Similar schemes are also being contemplated in other countries. The provision of reciprocal arrangements for the exchange of supplementary data between the various national deposition centres is being investigated.

NOTICES TO AUTHORS—No. 8/1970

X-Ray Crystallographic Structure Factor Tables

The Society has recently taken advice from the members of its Chemical Crystallography Group and as a result of this and of the inception of the National Lending Library Supplementary Publications Scheme (discussed in Notices to Authors No. 7) the following rules are being taken into use forthwith to govern the publication or deposition of *X*-ray crystallographic structure factor tables.

(i) The Society will no longer publish tables of structure factors in its publications except in accordance with the provision of paragraph (iv) below.

(ii) All authors of crystallography papers will submit along with the manuscript a readable table of such structure factors for the referees' inspection. The table should be prepared in accordance with the detail given in paragraph 3 of Notices to Authors No. 7 so that it may be used for deposition. Computer printout may be used providing that it is top copy in good contrast (see note).

(iii) If the referees accept the paper and its associated structure factor tables then the Society will deposit these structure factor tables in the National Lending Library Supplementary Publications Scheme (see Notices to Authors No. 7) and will publish as a footnote to the paper the necessary details that will enable any reader to obtain a copy in microfiche or an electrophotographic printoff of the data tables associated with the paper.

(iv) Authors, or the referees, may request publication of such tables of structure factors, *in extenso*, in cases that seem to them to be desirable. It is expected that this will occur only rarely.

(v) The details of the National Lending Library Supplementary Publications Scheme and the methods for obtaining microfiche or photographic printoff of material deposited with that scheme are given in Notices to Authors No. 7.

Note to paragraph (ii). Structure factor tables prepared from computer printout must be presented in the form indicated in paragraph 3 of Notices to Authors No. 7 and must be arranged with the greatest economy of space possible [*i.e.* not less than two groups of columns (h, k, l, F_c, F_o) to the page (30 cm × 21 cm)]. All columns must be headed. A 'paste-up' on white card of computer printout will be acceptable providing the quality of the printout is adequate.

NOTICE TO AUTHORS—No. 9/1974

Nomenclature

For many years the Society has actively encouraged the use of standard I.U.P.A.C. nomenclature and symbolism in its publications as an aid to the accurate and unambiguous communication of chemical information between authors and readers. Although the I.U.P.A.C. rules for naming organic compounds have now gained wide acceptance amongst chemists, mainly because they have been in existence for a number of years, those for naming inorganic compounds are of more recent origin and for this reason their acceptance is less general.

In order to encourage authors to use I.U.P.A.C. nomenclature rules when drafting papers, attention is drawn to the following publications in which both the rules themselves and guidance on their use are given.

'Nomenclature of Organic Chemistry, Sections A, B, and C,' Butterworths, London, 2nd Edition, 1971.

'Nomenclature of Inorganic Chemistry,' Butterworths, London, 1971.

'Manual of Symbols and Terminology for Physicochemical Quantities and Units,' Butterworths, London, 1970.

In addition to the above publications, provisional rules for the naming of organometallic compounds, amino-acids, carbohydrates, carotenoids, and steroids, and rules of stereochemistry are available from the:

I.U.P.A.C. Secretariat,
Bank Court Chambers,
2—3 Pound Way,
Cowley Centre,
OXFORD OX4 3YF.

It is recommended that where there are no I.U.P.A.C. rules for the naming of particular compounds or authors find difficulty in applying the existing rules, they should seek the advice of the Society's editorial staff.

ERRATA

Dalton Transactions

1975, p. 489, r.h. column, Table. 3rd entry diagram showing the coupling constants for $C_4F_9TeC_2F_5$ should be replaced by



---

p. 2128, ref. 21. *For Indian Med. Surg. read Industrial Med. Surg.*

JOURNAL
OF
THE CHEMICAL SOCIETY

DALTON TRANSACTIONS
Inorganic Chemistry

Part I, pp. 1—968

LONDON: THE CHEMICAL SOCIETY
1975

Printed in Great Britain by
Richard Clay (The Chaucer Press), Ltd.,
Bungay, Suffolk

JOURNAL
OF
THE CHEMICAL SOCIETY

DALTON TRANSACTIONS
Inorganic Chemistry

Part II, pp. 969—1884

LONDON: THE CHEMICAL SOCIETY
1975

Printed in Great Britain by
Richard Clay (The Chaucer Press) Ltd.,
Bungay, Suffolk

JOURNAL
OF
THE CHEMICAL SOCIETY

DALTON TRANSACTIONS
Inorganic Chemistry

Part III, pp. 1885—2648
Notices to Authors and indexes

LONDON: THE CHEMICAL SOCIETY
1975

Printed in Great Britain by
Richard Clay (The Chaucer Press), Ltd.,
Bungay, Suffolk

CS Publications News

Safety in the chemical laboratory

The 1974 legislation on Health and Safety at Work has created a renewed concern for wider knowledge of safety precautions and procedures in potentially dangerous work environments such as laboratories. Particularly appropriate to this problem is the Society's publication, *Hazards in the Chemical Laboratory*. Although the present edition was published in 1971, well before the 1974 Act, it does contain much valuable information on the potentially dangerous properties, toxic effects, first aid treatment and spillage disposal, of over 430 corrosive materials or groups of materials commonly used in laboratories. It is unlikely that this information will be greatly altered as a result of any code of practice published under the 1974 Act. The listings mentioned above occupy over 190 pages of the book's 266 pages, the remaining pages being devoted to chapters on: planning for safety; fire protection; first aid; safety in hospital biochemistry laboratories; precautions against radiations.

"Highly authoritative. The overall presentation is so clear and so well thought out that it should rapidly become a *vade-mecum* for every single one of the people who are responsible for the safety of personnel in chemical laboratories. A handbook that deserves the wildest possible circulation in laboratories."
— *Laboratory Equipment Digest*

"This book unquestionably deserves a place on every laboratory reference shelf: but it should never be placed there until after it has been studied and its recommendations adopted."
— *The Times Educational Supplement*

The volume is still available priced at £2.00 (CS Members £1.50) from: The Publications Sales Officer, The Chemical Society, Blackhorse Road, Letchworth, Herts. SG6 1HN

ACS ADVANCES IN CHEMISTRY

Chemistry of Food Packaging

Edited by
Charles M. Swalm

A timely study that highlights the emergence of sophisticated new food packaging techniques that have resulted from today's rapid changes in food production and processing.
Key technological advances in container design and adaptability are outlined, focusing on specific improvements in glass, tin, and aluminium containers. Plastics packaging is reviewed in detail with particular reference to applications and test methods.

Clothbound 109pp
9¼" × 6¾"
£5.00

Food Related Enzymes

Edited by
John R. Whitaker

A timely, in-depth study of the basic and applied aspects of food related enzymes which stresses the commercial uses of naturally occurring enzymes and those added during food processing.
This collection of thirteen papers assesses current developments in the field with emphasis on chemical analysis, treatment of illnesses, nutrition, historical use, biosynthesis, terminology, substrates, kinetics, mechanisms and applications.

Clothbound 376pp
9¼" × 6¾"
£11.75

Orders to: the Publications Sales Officer, The Chemical Society, Blackhorse Road, Letchworth, Herts. SG6 1HN.

SPECIALIST PERIODICAL REPORTS

Aromatic and Heteroaromatic Chemistry Vol. 3

Senior Reporters:
Dr. C. W. Bird and Dr. G. W. H. Cheeseman
Queen Elizabeth College, University of London

Volume 3 follows the same format as that adopted for previous volumes and provides coverage of literature abstracted between July 1973 and June 1974 based on Volumes 77 and 78 of *Chemical Abstracts*.
"The organisation of the book is a sensible one, stressing as it does the unity of carbocyclic and heterocyclic aromatic chemistry. The reporters deserve the highest commendation for having undertaken such a formidable task and having produced such a detailed picture of the field."
— *E. S. Waight, Chemistry and Industry reviewing Vol. 1*

Clothbound 516pp 8¾" × 5⅝" £20.00
(CS Members £15.00)

Alicyclic Chemistry Vol. 3

Senior Reporter: Professor W. Parker
University of Stirling

The third volume in this annual series covers the literature on the subject published during 1973. Its overall structure is, as before, based on a ring size division.
"Nearly 2000 references are quoted in this volume which indicates . . . the effort put in by the contributors to the volume, who are also to be congratulated on their excellent presentation of the material which is well written and supported by clearly drawn formulae and reaction schemes. Strongly recommended to all research workers in this area."
— *R. H. Ellam, Chemistry and Industry reviewing Vol. 2*

Clothbound 590pp 8¾" × 5⅝" £24.00
(CS Members £18.00)

Saturated Heterocyclic Chemistry Vol. 3

Senior Reporter: Dr. M. F. Ansell
Queen Mary College, University of London

The third volume in this annual series is as before based on ring size division. It covers literature published during 1973.
"The coverage includes excellent reviews on the formation and reactions of epoxides, aziridines and azirines and cycloaddition reactions as well as a full and dazzling array of small, medium and large ring heterocycles. It is not only a useful survey of the subject but a most stimulating and compact source of new ideas."
— *O. Meth-Cohn, Chemistry and Industry reviewing Vol. 2*

Clothbound 312pp 8¾" × 5⅝" £13.00
(CS Members £9.75)

Orders to: The Publications Sales Officer, The Chemical Society, Blackhorse Road, Letchworth, Herts. SG6 1HN.

Printed in Great Britain by Richard Clay (The Chaucer Press), Ltd., Bungay, Suffolk